

NEWBORN




Newborn's mission since 1974 is timeless and simple: To provide the highest quality sealant and adhesive dispensers and accessories on the market. We are dedicated to providing our customers with products that boast the most recent innovations, deliver exceptionally comfortable means of dispensing and applying sealants and adhesives, and are engineered to last.

By continuously and carefully listening to the feedback of each of our end-users, distributors, and manufacturers in a myriad of industries, including waterproofing, restoration, concrete repair, painting, hardware, glazing, automotive, aerospace, military, solid surface, firestop, and DIY, we aim to be the first and last stop for all of our various customers' caulking gun and accessory needs. We welcome any and all feedback from you so that we can continue to provide only the best in products and expertise.

We work passionately and tirelessly to be the leader in our industry to bring you the highest quality products and latest innovations in dispensing technology--in order to keep YOU at the top of your respective industries.


Newborn... Shaping the Future of Caulking Tools

03	Icon Key Description of the icons used throughout the catalog.
04	Thrust Ratio Explanation of Thrust Ratio and what power is recommended for various popular materials.
05	Multi-Purpose Series 101 / 105, 111-CB / 125, 211-HTS, 330, 920-GTS, 950-GTS, 224 / 232, 224-LITE / 232-LITE, 316 / 324, 624-GTS / 632-GTS, 510 / 515
08	Drip Free Series 012-DC, 102D-CB, 112D-CB, 114D, 115D, 189D / 217D, U-LITE, 212-HTD, 930-GTD, 940-GTD, 980-GTD
11	Ratchet Series 77 / 035, 188 / 215, 288-HTR, 307 / 315, 910-GTR / 915-GTR, 960-GTR, 416 / 424
13	G Series 150 / 155, 373-XSP, 420AL, DR100VT, DR100N, 203-XSP, 435-XSP
15	DuraCore Series 250 / 255, 375-XSP, 610AL / 620AL / 634AL, 290, 820AL, 924AL / 932AL, 532, 335-XSP, 380 / 385, VR200-XSP / VR400-XSP, VR210-XSP-DF, 520 / 530, 535-XSP, 585-XSP, 655-XSP, 750-XSP / 751-XSP, 755-XSP
20	Specialty Series 253 / 256 / 257 / 259, 377, 408N
21	Pneumatic Series 710AL-12 / 710AL-20 / 710AL-30 / 710AL-03 / 710AL-06 / 710AL-07 / 710AL-09, 725AL-12 / 725AL-30, 724 / 732, 830A15 / 830A30, 850A30 / 850A75, 860A75, VR200A83, VR400A83, VR400A85, Pneumatic Dispenser Accessories
24	Cordless Series 12V-10, 12V-20, 20V-10, 20V-29, 20V-20, 20V-600, 20V-825, 20V-1500, Batteries & Accessories
27	Accessories Spatulas, Slicks, Cones, Nozzles, Backer Rod Installation, Follow Plates, Mixers, Ladder Hooks, Piston Packings, PipeKnife Products, Caulk Warming Products



ADJUST-A-THRUST

Adjust the thrust ratio from a low (S) to high (EZ) ratio and vice versa with the turn of a knob.



AIR DUMP VALVE

Dumps the air out of the cylinder when the trigger is released, instantly stopping the flow of material.



CAULK BUDDY

Finishing tool to help create the perfect bead. Comes with 2 caulk tube caps. Patented.



CUTTER

Cuts the spout off caulk tubes. The cutter on model 250 is the only one of its kind.



DRIP FREE

Drip free models back off the pressure on the back of the caulk tube with each trigger squeeze, stopping the flow of material.



DURACORE

The friction plate is made utilizing an expensive, time-consuming process called precision investment casting to provide the ultimate in durability.




ETG (EFFECTIVE TRIGGER GRIP)

Automatically removes trigger play as the gun wears, providing maximum trigger action with every squeeze.



EZ THRUST

Increases power and ease of use by advancing the push rod from the top of the friction plate instead of below like others in its class.



FORWARD/REVERSE SWITCH

Move the rods forward and backward on pneumatic models with the push of a switch.



GATOR TRIGGER

Increases comfort and decreases fatigue with an ergonomic, dual composition trigger. Patented.



HAMMER GRIP

Extra thick zinc alloy handle and trigger has a hammered finish and coated with a rubber comfort grip.



HEAT TREATED DRIVE ROD

Drive rod has been heat treated to a proprietary hardness for increased strength and durability.



HEXAGONAL PUSH RODS

Stronger and more durable than traditional, round push rods.



HYBRID TECH

Dual composition trigger with innovative frame connection for the best in strength, balance and lightweight design. Patented.



LADDER HOOK

The dispenser either has a ladder hook built into the end of the push rod, or comes with one to attach to it.



LIGHTWEIGHT

Extremely lightweight, especially in its class of dispensers.



POKER

Equipped with a poker to break the seal on the end of caulk tubes.



QUICK COUPLER

1/4" NPT female quick coupler plug included for quick connection to air supply line.

**REVOLVING CRADLE/BARREL**

The cradle / barrel on these dispensers revolves fully 360 degrees.

**RUBBER GRIP**

The zinc alloy trigger is coated with a rubber comfort grip.

**SELF-PUNCTURING CONE**

No need to pre-cut sausage packs. Simply install the cone and extrude. The puncture points do the work.

**SNAP IN / OUT DISKS**

Quickly change the mix ratio on a dual component dispenser by snapping the appropriate disk on or off the push rod.

**STABILIZER PLATE**

Locks and stabilizes various dual component cartridge mix/volume ratios. Used in conjunction with the Snap In / Out Disks. Patented.

**STAR BURST RELEASE PLATE**

The hole on the thumb release plate is a reverse-punch star burst hole, which makes releasing pressure on the dispenser easier than traditional straight, flat holes.

**VARIABLE SPEED TRIGGER**


Control the speed of material flow with the amount of pressure you apply to the trigger. Also called a "feathering" trigger.

**ZINC CHROMATE**

Zinc Chromate plated for increased life and protection from rust and pitting.

Thrust Ratio**THRUST RATIO**

The power of the drive mechanism. For example, a 6:1 thrust ratio means for every 1 lb of force generated on the trigger, there are 6 lbs of force pushing to extrude the material. Furthermore, 2 lbs of force on the trigger yields 12 lbs of force pushing to extrude the material...3 lbs on the trigger yields 18 lbs extruding the material, and so on. As the thrust ratio increases, the amount of material extruded with each trigger squeeze decreases.



Works With Most Material Types

This series features a release tab on the back of the handle, providing full control over when the pressure is released. This allows users to maintain constant pressure for moderate to thick materials or release pressure at will for thin materials.



101 / 105

10:1 Thrust Ratio

101: 10oz Cartridge

105: 29oz Cartridge



EZ Thrust



Ladder Hook



Cutter (105 only)



Poker (105 only)



111-CB / 125

10:1 Thrust Ratio

111-CB: 10oz Cartridge

125: 29oz Cartridge



Cutter



Poker



Hex Rod



Caulk Buddy (111 only)



Ladder Hook



EZ Thrust



211-HTS

10:1 Thrust Ratio

10oz Cartridge



Hybrid Tech



Lightweight



Cutter



Poker



Hex Rod



Ladder Hook



330

12:1 Thrust Ratio
10oz Cartridge



Zinc
Chromate



Cutter



Poker



Hex
Rod



Ladder
Hook



EZ
Thrust



920-GTS

10:1 Thrust Ratio
10oz Cartridge



Gator
Trigger



Cutter



Poker



Hex
Rod



Ladder
Hook



EZ
Thrust



950-GTS

12:1 Thrust Ratio
10oz Cartridge



Zinc
Chromate



Gator
Trigger



Cutter



Poker



Hex
Rod



Ladder
Hook



EZ
Thrust



224 / 232

7:1 Thrust Ratio

224: 24 oz Bulk; 10 oz & 20 oz Sausage

232: 32 oz Bulk; 10 oz & 20 oz Sausage



Rubber
Grip



Heat
Treated



224-LITE / 232-LITE

7:1 Thrust Ratio
Aluminum Barrel
224-LITE: 24oz Bulk; 10oz & 20oz Sausage
232-LITE: 32oz Bulk; 10oz & 20oz Sausage



Heat
Treated



Lightweight



316 / 324

12:1 Thrust Ratio
316: 16oz Bulk; 10oz & 20oz Sausage; 10oz Cartridge
324: 24oz Bulk; 10oz & 20oz Sausage; 10oz Cartridge



Heat
Treated



Hex
Rod



624-GTS / 632-GTS

14:1 to 7:1 Adjustable Thrust Ratio
624-GTS: 24oz Bulk; 10oz & 20oz Sausage; 10oz Cartridge
632-GTS: 32oz Bulk; 10oz & 20oz Sausage; 10oz Cartridge



Gator
Trigger



Adjust-A
Thrust



Heat
Treated



Cutter



Hex
Rod



Revolving
Cradle



ETG



EZ
Thrust



510 / 515

10:1 (510) or 20:1 (515) Thrust Ratio
510: 150ml x 150ml; 150ml x 75ml; 75ml x 75ml
515: 300ml x 300ml; 300ml x 150ml; 150ml x 150ml



Snap
Disks



Cutter
(515 only)



EZ
Thrust

Ideal For Latex And Silicone

Drip-free models automatically release excess pressure during extrusion. This helps prevent material from oozing out once the trigger is released, creating a cleaner caulking experience.

These models are suitable for thin materials only and are great for beginners and experts alike.



012-DC
3:1 Thrust Ratio
10oz Cartridge



102D-CB
10:1 Thrust Ratio
10oz Cartridge




112D-CB
10:1 Thrust Ratio
10oz Cartridge






114D

10:1 to 7:1 Adjustable Thrust Ratio
10oz Cartridge



115D

7:1 Thrust Ratio
10oz Cartridge



189D / 217D

6:1 Thrust Ratio
Ratchet Rod
189D: 10oz Cartridge
217D: 29oz Cartridge



U-LITE

10:1 Thrust Ratio
10oz Cartridge





212-HTD
10:1 Thrust Ratio
10oz Cartridge

- | | | | |
|--|--|--|---|
| 
Hybrid Tech | 
Lightweight | 
Drip Free | 
Cutter |
| 
Poker | 
Hex Rod | 
Ladder Hook | |



930-GTD
10:1 Thrust Ratio
10oz Cartridge

- | | | | |
|--|--|--|--|
| 
Gator Trigger | 
Drip Free | 
Cutter | 
Poker |
| 
EZ Thrust | 
Hex Rod | 
Ladder Hook | |



940-GTD
10:1 Thrust Ratio
10oz Cartridge

- | | | | |
|--|--|--|--|
| 
Gator Trigger | 
Drip Free | 
Cutter | 
Poker |
| 
EZ Thrust | 
Hex Rod | 
Ladder Hook | |



980-GTD
12:1 to 6:1 Adjustable Thrust Ratio
10oz Cartridge

- | | | | |
|--|--|--|---|
| 
Gator Trigger | 
Drip Free | 
Adjust-A Thrust | 
Cutter |
| 
Poker | 
Ladder Hook | 
Zinc Chromate | 
Revolving Cradle |

Ideal For Thin To Moderate Materials

The original and oldest style of caulk gun.

Every ratchet model has a consistent 6:1 thrust ratio. Due to Newborn's precision milling process, the teeth on the rod are equidistant from each other, allowing the user to be precise with the amount of material extruded with each trigger squeeze.

In addition, the pawls that grab the teeth and push the rod forward are heat treated for extra durability.



77 / 035

6:1 Thrust Ratio

77: 10oz Cartridge

035: 29oz Cartridge

Features below only on Model 035



Cutter



Poker



Ladder
Hook



188 / 215

6:1 Thrust Ratio

188: 10oz Cartridge

215: 29oz Cartridge



Cutter



Poker



Ladder
Hook



Heat
Treated



288-HTR

6:1 Thrust Ratio

10oz Cartridge



Hybrid
Tech



Lightweight



Cutter



Poker



Ladder
Hook



Heat
Treated



307 / 315

6:1 Thrust Ratio
 307: 10oz Cartridge
 315: 29oz Cartridge



910-GTR / 915-GTR

6:1 Thrust Ratio
 910-GTR: 10oz Cartridge
 915-GTR: 29oz Cartridge



960-GTR

6:1 Thrust Ratio
 10oz Cartridge



416 / 424

6:1 Thrust Ratio
 416: 16oz Bulk; 10oz Sausage; 10oz Cartridge
 424: 24oz Bulk; 10 & 20oz Sausage; 10oz Cartridge



Ideal For Moderate to Very Thick Materials

The G Series incorporates a friction plate consisting of two stamped steel plates with a gasket between each for the rigors of daily use by the professional.

These dispensers are easy to use and available in various formats, thrust ratios and volume ratios.

When you need confidence in a simple dispenser that stands up to the toughest conditions, look no further than the G Series.



150 / 155
 12:1 Thrust Ratio
 150: 10oz Cartridge
 155: 29oz Cartridge



Heat Treated



Revolving Cradle



Ladder Hook



ETG



Starburst Release



373-XSP
 26:1 Thrust Ratio
 10oz Cartridge



Heat Treated



Revolving Cradle



Ladder Hook



Poker



ETG



Starburst Release



420AL
 12:1 Thrust Ratio
 20oz Sausage / Bulk / Cartridge



Heat Treated



Revolving Cradle



Ladder Hook



ETG



Starburst Release



DR100VT

18:1 Thrust Ratio
6oz / 178cc Cartridge



DR100N

26:1 Thrust Ratio
200ml Cartridge
Mix Ratios 1:1 and 2:1



203-XSP

26:1 Thrust Ratio
200ml Cartridge
Mix Ratios 1:1 and 2:1



435-XSP

26:1 Thrust Ratio
300ml x 300ml; 300ml x 150ml



For The Ultimate In Durability

At the heart of every Newborn dispenser with DuraCore™ Technology is a dispenser with superior durability, designed with the true tradesman and craftsman in mind.

Newborn utilizes a special, time-consuming process called precision investment casting to produce the friction plate because it is the most critical part of all manual dispensers.



- Excellent precision
- Tight tolerances
- Superior surface finish
- High density, elongation, hardness and tensile strength



250 / 255

18:1 Thrust Ratio
250: 10oz Cartridge
255: 29oz Cartridge



375-XSP

26:1 Thrust Ratio
10oz Cartridge



Duracore



Heat
Treated



Cutter



Poker



Duracore



Heat
Treated



Revolving
Cradle



ETG



Revolving
Cradle



ETG



Ladder
Hook



Starburst
Release



Ladder
Hook



Starburst
Release



Hammer
Grip



610AL / 620AL / 634AL

18:1 Thrust Ratio

610AL: 10oz Sausage / Bulk / Cartridge

620AL: 20oz Sausage / Bulk / Cartridge

634AL: 30oz Sausage / Bulk



Duracore



Heat
Treated



Revolving
Cradle



Puncture
Cone



ETG




Rubber
Grip



Starburst
Release

620AL Available in these colors and designs:
(See website for currently available colors and designs)


 620AL-BLUE
(shown)

 620AL-RED


 620AL-BLACK

 620AL-GREEN

 620AL-NEON

 620AL-CAMO

 620AL-ORANGE

 620AL-CLEAR
Clear, plastic barrel
(Polyethylene)



290

22:1 Thrust Ratio
10oz Cartridge



Duracore



Heat
Treated



Revolving
Cradle



Ladder
Hook



Poker



ETG



Gator
Trigger



Starburst
Release



820AL

22:1 Thrust Ratio
20oz Sausage / Bulk
Metal Front & Back Caps



Duracore



Heat
Treated



Revolving
Cradle



Ladder
Hook



Puncture
Cone



ETG



Gator
Trigger



Starburst
Release



924AL / 932AL

26:1 Thrust Ratio

924AL: 20oz Sauasage / Bulk / Cartridge

932AL: 30oz Sausage / Bulk
Metal Front & Back Caps



Duracore



Heat
Treated



ETG



Starburst
Release



Hammer
Grip



532

12:1 Thrust Ratio

32oz Tuck Point / Grout



Duracore



Heat
Treated



ETG



Starburst
Release



Revolving
Cradle



335-XSP

26:1 Thrust Ratio

300ml x 30ml



Duracore



Heat
Treated



ETG



Starburst
Release



Hammer
Grip



380 / 385

18:1 Thrust Ratio

380: 380ml Co-axial Cartridge, 10:1 Mix Ratio

385: 385ml Co-axial Cartridge, 5:1 Mix Ratio



Duracore



Heat
Treated



ETG



Starburst
Release



Hex
Rod




Rubber
Grip



VR200-XSP / VR400-XSP

26:1 Thrust Ratio
VR200-XSP: 200ml Cartridges
VR400-XSP: 400ml and 200ml Cartridges
 Mix Ratios 1:1, 2:1, 4:1 and 10:1




VR210-XSP-DF

26:1 Thrust Ratio
 210ml Cartridges
 Fixed Mix Ratio 10:1




520 / 530

18:1 Thrust Ratio
520: 150ml x 150ml; 150ml x 75ml; 75ml x 75ml
530: 300ml x 300ml; 300ml x 150ml; 300ml x 75ml;
 150ml x 150ml; 150ml x 75ml



535-XSP


26:1 Thrust Ratio
 300ml x 300ml; 300ml x 150ml;
 150ml x 150ml; 150ml x 75ml






585-XSP

26:1 Thrust Ratio
585ml and 385ml Cartridges
Mix Ratio 3:1




655-XSP

26:1 Thrust Ratio
600ml x 600ml; 600ml x 300ml




750-XSP / 751-XSP

26:1 Thrust Ratio
750-XSP: 750ml x 75ml
751-XSP: 750ml x 100ml; 750ml x 150ml



755-XSP

26:1 Thrust Ratio
750ml x 750ml; 750ml x 300ml
Front Handle Included



Newborn Offers a Range of Dispensers for Unique Applications.

From subfloor adhesives to veterinary medicine to aerospace dispensers for Semco or Techcon Cartridges, Newborn meets the needs of many industries.

Should you have a specific application, please contact us as we have the ability to create unique dispensers.



253 - 259

Semco Cartridges

253: 2.5oz Cartridge

256: 6oz Cartridge

257: 9oz Cartridge

259: 12oz Cartridge



377

10:1 Thrust Ratio

29oz Cartridge

10oz Adapter Sold Separately



408N

6:1 Thrust Ratio

For Three Lug Tubes

2.5oz; 6oz; 8oz; 10oz; 12oz Cartridge

Adjustable Dosage: 5cc, 10cc, 15cc



***Ideal When Control, Reliability
and Consistency are Needed***

The Pneumatic Series incorporates true air regulators for precise power and control. The spun aluminum retainers are lightweight, strong and durable.

With the exception of the 710AL-30, these dispensers utilize a Universal Handle allowing the user to go from 10oz cartridge, to all “Semco” cartridge sizes to 20oz sausage by simply changing the retainer.



710AL-12 / 710AL-30

710AL-12: 10oz Cartridge

710AL-30: 29oz Cartridge



Lightweight



Air Dump
Valve



Quick
Coupler



710AL-20

20oz Sausage

100psi



Lightweight



Air Dump
Valve



Quick
Coupler



710AL “Semco”

710AL-03: 2.5oz Semco Cartridge

710AL-06: 6oz Semco Cartridge

710AL-07: 8oz Semco Cartridge

710AL-09: 12oz Semco Cartridge



Lightweight



Air Dump
Valve



Quick
Coupler



724 / 732

100psi

724: 24oz bulk / 20oz Sausage

732: 32oz bulk / 30oz Sausage



Zinc
Chromate



830A15 / 830A30

2.5" Cylinder, Nominal Thrust 490lbs @ 100psi

830A15: 150ml x 150ml; 150ml x 75ml

830A30: 300ml x 300ml; 300ml x 150ml; 300ml x 75ml;
150ml x 150ml; 150ml x 75ml



Forward
Reverse



Air Dump
Valve



Snap
Disks



Stabilizer
Plate



Quick
Coupler



850A30 / 850A75

4" Cylinder, Nominal Thrust 1100lbs @ 100psi

850A30: 300ml x 300ml; 300ml x 150ml; 300ml x 75; 150ml x 150ml

850A75: 750ml x 750ml; 750ml x 300ml; 750ml x 75ml; 600ml x 600ml;
600ml x 300ml; 300ml x 300ml: 300ml x 75ml



Forward
Reverse



Air Dump
Valve



Snap
Disks



Stabilizer
Plate



Quick
Coupler



860A75

4" Cylinder, Nominal Thrust 1100lbs @ 100psi

Combo Trigger - Suitcase & Pistol Grip In One

750ml x 750ml; 750ml x 300ml; 750ml x 75ml; 600ml x 600ml;
600ml x 300ml; 300ml x 300ml: 300ml x 75ml



Forward
Reverse



Air Dump
Valve



Snap
Disks



Stabilizer
Plate



Quick
Coupler



VR200A83

2.5" Cylinder, Nominal Thrust 490lbs @ 100psi
200ml Dual Component Cartridges
Mix Ratios 1:1, 2:1, 4:1 and 10:1



Forward
Reverse



Air Dump
Valve



Snap
Disks



Stabilizer
Plate



Quick
Coupler



VR400A83

2.5" Cylinder, Nominal Thrust 490lbs @ 100psi
400ml and 200ml Dual Component Cartridges
Mix Ratios 1:1, 2:1, 4:1 and 10:1



Forward
Reverse



Air Dump
Valve



Snap
Disks



Stabilizer
Plate



Quick
Coupler



VR400A85

4" Cylinder, Nominal Thrust 1100lbs @ 100psi
400ml Dual Component Cartridges
Mix Ratios 1:1, 2:1, 4:1 and 10:1



Forward
Reverse



Air Dump
Valve



Snap
Disks



Stabilizer
Plate



Quick
Coupler

Pneumatic Dispenser Accessories



PUSH DISCS



PUSH DISC WRENCH



SUPPORT HANDLE



QUICK CONNECT
COUPLER

Ideal For Large Jobs and Increased Productivity

The Cordless Series contains two types of Lithium-Ion batteries. A 12 Volt, which is the lightest in its class, for use in standard duty applications and a 20 Volt for use in heavy duty applications.

These dispensers increase productivity and efficiency. They provide control over dispensing speed via a master speed control dial on certain models and a maximum speed setting with a “feathering” variable speed trigger on others.



12V-10

12Volt Li-ion
500lbs Max Force
10oz Cartridge



12V-20

10 Volt Li-ion
450lbs Max Force
20oz Sausage



20V-10

20 Volt Li-ion
850lbs Max Force
10oz Cartridge





20V-29

20 Volt Li-ion
850lbs Max Force
29oz Cartridge



Variable
Speed



Revolving
Cradle



Poker



20V-20

20 Volt Li-ion
850lbs Max Force
20oz Sausage



Variable
Speed



Revolving
Cradle



20V-600

20 Volt Li-ion
1400lbs Max Force
300ml x 300ml / 22oz Dual Component Cartridge



20V-825

20 Volt Li-ion
1400lbs Max Force
750ml x 75ml / 28oz Dual Component Cartridge



20V-1500

20 Volt Li-ion
1400lbs Max Force
750ml x 750ml / 56oz Dual Component Cartridge

If you need a different mix ratio not shown here, please contact our office directly.

Cordless Series Accessories



**12 VOLT LITHIUM ION BATTERY
STICK PACK**



**12 & 20 VOLT LITHIUM ION BATTERY
FLAT PACKS**



**12 VOLT LITHIUM ION CHARGER
STICK PACK**



**12 & 20 VOLT LITHIUM ION CHARGER
FLAT PACKS**

WOODEN HANDLE SPATULAS & BUCKET SCRAPERS

Available in Stainless Steel and Teflon Coated Blades



STANDARD SPATULAS

SPT-3P	3" Tapered, 3/8"-11/16" Wide
SPT-3S	3" Straight, 5/8" Wide
SPT-4P	4" Tapered, 5/8"-7/16" Wide
SPT-4S	4" Straight, 3/4" Wide
SPT-5P	5" Tapered, 1/2"-11/16" Wide
SPT-5S	5" Straight, 7/8" Wide
SPT-6S	6" Straight, 1" Wide
SPT-8S	8" Straight, 1-1/4" Wide
SPT-10S	10" Straight, 1-1/2" Wide



OFFSET SPATULAS

SPT3P-OF	3" Tapered, 3/8"-11/16" Wide
SPT3S-OF	3" Straight, 5/8" Wide
SPT4S-OF	4" Straight, 3/4" Wide
SPT5S-OF	5" Straight, 7/8" Wide
SPT6S-OF	6" Straight, 1" Wide
SPT8S-OF	8" Straight, 1-1/4" Wide
SPT10S-OF	10" Straight, 1-1/2" Wide



BUCKET SCRAPERS

SCR-02	2" Wide
SCR-03	2-1/2" Wide



SPATULA SET

KIT-SPT - Comes with 3" Tapered and 3", 4", 5", 6" and 8" Straight



OFFSET SPATULA SET

KIT-SPT-OF - Comes with 3" Tapered and 3", 4", 5", 6" and 8" Straight



WIDE SPATULA SET

KIT-SPT-WIDE - Comes with 1", 1-1/2", 2" and 3" Wide. All are 4" Long.

PATENTED POCKET SLIX

All in one spatula set with 6 blades. Widths include 5/8" tapered, 5/8", 3/4", 7/8", 1", and 1-1/2".



STANDARD TIPS POCKETSLK.



FLEXIBLE TIPS POCKETSLK-FLEX



ELLIPTICAL TIPS POCKETSLK-ELP

SLICK SETS

Slick Wraps available. See PipeKnife Section.



SLICK-1

Comes with 3" Tapered, 3", 4", 5", 6" and 8" Straight. Equipped with rubber grips. Also available in Teflon.



SLICK-2

Comes with 3" Tapered, 3", 4", 5", 6", 8" and 10" Straight.



KIT-SPT-PLASTIC

Set of 8 all plastic spatulas. Both wide and aggressive tips with widths of 3/4", 7/8", 1", and 1-1/2".



PK-BONES

With tapered round and chisel ends. Bag of 50.

CONES



**STANDARD
SAUSAGE**
PC-620



**THIN
SAUSAGE**
PC-62



**BENT
SAUSAGE**
PC-620BENT



**NOZZLES
SAUSAGE**
PC-38NOZZLE, 3/8" opening
PC-516NOZZLE, 5/16" opening



**NOZZLE ADAPTER
SAUSAGE**
PC-ADAPTER



**STANDARD
BULK**
PC-58




LARGE VERSION
PC-PUNCTURELG

SELF-PUNCTURING SAUSAGE CONES



**No Knife Needed to
Cut Sausage Pack**



SMALL VERSION
PC-PUNCTURESM

BEAD BUDDY

Articulating Nozzles for Sausage and Bulk



STANDARD
BB-45



LARGE
BG-45

CARTRIDGE NOZZLE

12" Flexible Reach
PK-FLEXNOZZLE



BULK NOZZLES

All nozzles 3" long unless noted



OVAL
OV-17: 3/16"ID
OV-18: 1/4" ID
OV-21: 3/8"ID
OV-25: 1/2"ID
OV-27: 5/8"ID



ROUND
R-9: 1/8" (4" Long)
R-10: 3/32" (4" Long)
R-11: 1/8" (4" Long)
RB-12: Bent 1/8" (5" Long)
RB-16: Bent 1/8" (18" Long)
RBS-16: 1/8" (18" Long)



SQUARE
SQ-49: 1/8" x 3/8"
SQ-50: 1/8" x 3"
SQ-51: 1/8" x 7/8"



BEVEL
BE-35: 1/8" x 3/8"
BE-36: 1/16" x 3/8"
BE-37: 1/16" x 5/8"
BE-38: 1/8" x 7/8"



TRIANGLE
TR-46: 3/8"
TR-48: 7/16"
TR-49: 1/2"



BACKER ROD INSERTION TOOL

KIT-BRIT - Set includes tool body with threaded swivel connection for handle and 5 "skates" in the following sizes (width x depth): 3/32" x 5/16", 1/4" x 1/2", 1/2" x 1/2", 3/4" x 1/2" and 1" x 1/2"



FOLLOW PLATE

With neoprene seal and quick-connect O-ring
FPT-02 - 1-1/2 / 2 gallon
FPT-05 - 5 gallon

LADDER HOOKS



BULK GUNS
LH-32



BULK GUNS
LH-36A



SAUSAGE GUNS
LH-35A



CAULK BUDDY

CB100: Finishing tool with 2 caulk tube caps.
Clips onto the frame of some cartridge guns



TURBO MIXER
MX-01: 14" tall



CATALYST MIXERS

MX-02: 4" wide x 22" tall
MX-03: 4" wide x 28" tall

PISTON PACKINGS



SAUSAGE CUP
SC-81



CONICAL EJECTOR
CI-90



DUAL HYTREL CUP
DC-81



FLOATING SAUSAGE CUP
HFC-81



LEATHER CUPS
LC2 - 2" rubber impregnated
SLC2 - 2" soft
LC3 - 3" rubber impregnated



LEATHER CUP KITS
KIT-LC2 - 2"
KIT-LC3 - 3"



LEATHER CUP SPREADER
PB-LCSP2 - 2"



CARTRIDGE PLUNGER
EP-92

THE PIPEKNIFE

Sealant Cutout Tools



THE ORIGINAL

PK-14: 14" and PK-18: 18"



FLAT HANDLE EXTRUDED ALUMINUM

LK-9: 9", LK-14: 14", LK-18: 18" and LK-24: 24"



FLAT HANDLE STEEL

SLK-9: 9", SLK-14: 14", SLK-18: 18" and SLK-24: 24"



PIPEKNIFE BLADES

ASB - Angled Serrated
SB - Serrated
LUB - Long Utility
UB - Utility



VIBRATING KNIFE BLADES

VKBS - Rectangular
VKBL - Pointed



SLICK WRAP

PK-SLICKWRAP: Wraps around 2" barrel guns.
Holds either version of Slick Set (SLICK-1 or SLICK-2).



6-IN-1 TOOL

PK-6IN1



BLACK LIGHTNING GLOVES

PK-BLKL: Nitrile, Various Sizes

ARCTIC WARMER

Caulk Warming Products



STANDARD SIZE BAG

RP-WB60908



JUNIOR SIZE BAG

RP-WB50509



CYLINDER WRAP

RP-0609-PLWC

HOSE SLEEVES

RP-099-HWS: 25' Starter
RP-099-HWE: 150' Extension



PAIL / BUCKET / DRUM WRAPS

RP-0609-PLW1: 1 Gallon
RP-6069-PLW2: 2 Gallon
RP-0609-PLW5: 5 Gallon
RP-0512DW: 55 Gallon



INVERTER

RP-1108-175: 100W to 120V AC
Fits all Artic Warmer Products.



www.NewbornCaulkGuns.com

Facebook: www.Facebook.com/NewbornCaulkGuns

YouTube: www.YouTube.com/user/NewbornCaulkGuns

Main Office: 8221-D Preston Ct., Jessup, MD 20794

Sales: 800-638-3983; 301-604-1500

Fax: 301-604-7950

Email: sales@NewbornCaulkGuns.com